

Colegio Evangélico Mixto Adonai

Laboratorio II

Profesor José Monterroso

5to. Bachillerato

RadioButton

Pablo Luna

Ivan Hurtarte

Saúl Quintana

Shaayde Misa

Daniela Vanegas

Jonathan Revolorio

Programación


```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace Tarea_RadioButton
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }


        private void button1_Click(object sender, EventArgs e)
        {
            int num1 = int.Parse(textBox1.Text);
            int num2 = int.Parse(textBox2.Text);
            int resultado;
            if (radioButton1.Checked)
            {
                resultado = num1 + num2;
                Text = resultado.ToString();
            }
            if (radioButton2.Checked)
            {
                resultado = num1 - num2;
                Text = resultado.ToString();
            }
        }

        private void Form1_Load(object sender, EventArgs e)
        {
            Text = "";
        }
    }
}
```

Ejecución del programa



A screenshot of a Java Swing window titled "40". The window has a light gray background and standard window controls (minimize, maximize, close) in the title bar. Inside the window, there are two text input fields. The first is labeled "Número 1" and contains the value "25". The second is labeled "Número 2" and contains the value "15". Below these fields is a rounded rectangle containing two radio buttons. The first radio button is selected (indicated by a blue dot) and is labeled "Sumar". The second radio button is unselected and is labeled "Restar". Below the rounded rectangle is a blue button with the text "Operar".



A screenshot of a Java Swing window titled "25". The window has a light gray background and standard window controls (minimize, maximize, close) in the title bar. Inside the window, there are two text input fields. The first is labeled "Número 1" and contains the value "50". The second is labeled "Número 2" and contains the value "25". Below these fields is a rounded rectangle containing two radio buttons. The first radio button is unselected and is labeled "Sumar". The second radio button is selected (indicated by a blue dot) and is labeled "Restar". Below the rounded rectangle is a blue button with the text "Operar".

Reunión en grupo

